

Notice of Allowability	Application No.	Applicant(s)	
	09/751,047	CHO ET AL.	
	Examiner	Art Unit	
	Preeti Kumar	1751	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to June 22, 2004.
2. The allowed claim(s) is/are 56-78.
3. The drawings filed on _____ are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____

DETAILED ACTION

1. Claims 56-78 are pending. Claim 56 is independent.
2. The rejection of claims 56-78 under 35 U.S.C. 103(a) as being unpatentable over Marshall et al. (US 5,691,292), in view of Ospinal et al. (US 5,965,508) has been withdrawn in light of the Examiner's Amendment below.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Patrick Finn on September 1, 2004.

4. The application has been amended as follows:

The claims:

In claim 56, line 1, delete "about 7.0" and insert -6.8—after the phrase "pH value less than".

Reasons For Allowance

5. The following is an examiner's statement of reasons for allowance: Claims 56-78, renumbered 1-23, are allowable over the prior art of record. The Examiner's Amendment and the arguments filed by the applicant's are sufficient to place the instant claims in condition for allowance.

The most pertinent prior art is Marshall et al. (US 5,691,292). Marshall et al. teach a thixotropic liquid automatic dishwashing detergent having an enzyme, low foaming nonionic surfactant and non-phosphate builder and broadly discloses a pH of between about 7 and about 11, but does not disclose or fairly suggest an acidic pH as required by the instant claims. The teachings of Marshall et al. alone or in combination do not suggest a liquid automatic dishwashing detergent having an acidic pH less than 6.8. Accordingly, the instant claims are deemed allowable.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Preeti Kumar whose telephone number is 571-272-1320. The examiner can normally be reached on M-F 9:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra N. Gupta can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Preeti Kumar
Examiner
Art Unit 1751
YOGENDRA N. GUPTA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700

PK